



"Visual Inspection" by Galen V. Govier

For this serial number

WM21J8A303158



The inspection includes the following categories: V.I.N., body codes, fender tag, body, trim, glass, interior, engine, engine compartment, trunk, chassis and decals. Furthermore I inspect the engine and transmission for originality.

NOT NUMBERS MATCHING: REMARKS:	V.I.N. (ORIGINAL)	ENGINE (INCORRECT)	TRANSMISSION (ORIGINAL)	1-BODY-2 (CORRECT)	FENDER TAG (ORIGINAL)	BROADCAST (MISSING)	CERTICARD (MISSING)

09-24-2011

Inspection Date

Galen V. Govier

Inspector

No. 1112384



P. O. Box 516
Prairie du Chien, WI 53821-0516
(608) 326-6346 Office
(608) 326-8061 Fax

Galen's Registry

No. 1112384

October 12, 2011

As of the above date, all of the following information is accurate to my knowledge.

1968 426 HEMI DODGE Super Bee 2 Door Coupe VIN **WM21J8A303158** is now in the Registry.

There were 125 - 1968 426 HEMI DODGE Super Bee 2 Door Coupe's built to Spec's for USA, 31 4Spds and 94 Autos. Plus 3 Canadian. Export figures are unknown.


VEHICLES CURRENTLY REGISTERED IN GALEN'S REGISTRY

As of the above date, it is # **11 of 18** in VIN sequence of all 1968 426 HEMI DODGE Super Bee 2 Door Coupe's accounted for at the Lynch Road, MI plant and built to spec's for: **the U.S.A.**

1968 426 HEMI DODGE Super Bee 2 Door Coupe's were also built at the St. Louis, MO plant.

For more detailed production figures including sales codes, ask for the Option & Accessories Report. Available for US Ordered cars only.

If there is anything else I can do for you, do not hesitate to call or write.



Galen V. Govier

Registered

018 - WM21J8A's USA
003 - WM21J8A's CANADA
000 - WM21J8A's EXPORT
019 - WM21J8G's USA

GVG/gg

This document does not automatically mean that I have inspected the vehicle, or that I am stating it is an all numbers matching vehicle.

Keep the Faith

Galen's Registry

Page 2

October 12, 2011

As of the above date, all of the following information is accurate to my knowledge. In reference to your inquiry, I have completed the following additional research for **WM21J8A303158**.

These are only numbers of vehicles that are accounted for, these are not complete amounts.


The amounts below include all **U.S.A.** ordered **WM21J8's** built that year. They also include the **CANADIAN** and **EXPORT** ordered cars accounted for.

These are all the **WM21J8's** "accounted for" according to Galen's Registry.

At plant "A":					"Plant "G"
To date:	yours is	#	14 of	21 - WM21J8's registered in VIN sequence.	19
and	yours is	#	7 of	11 - WM21J8's " w/H4X-Trim.	9
and	yours is	#	4 of	4 - WM21J8's " w/577-Tachometer.	2
and	yours is	#	3 of	4 - WM21J8's " w/317-Stripe.	5
and	yours is	#	2 of	2 - WM21J8's " w/393-Transmission.	5
and	yours is	#	1 of	1 - WM21J8's " w/RR1-Paint.	0
and	yours is	#	1 of	1 - WM21J8's " w/Above Combination.	0

THE CHANCES OF FINDING ANOTHER SIMILAR VIN WITH THE ABOVE COMBINATION OF OPTIONS IS: 5 %!

If there is anything else I can do for you, do not hesitate to write.



Galen V. Govier

GVG/gg


This document does not automatically mean that I have inspected the vehicle, or that I am stating it is an all numbers matching vehicle.

Keep the Faith

No. 1112384

PHOTOGRAPHIC PROOF OF APPRAISAL

LH front ¼ view.



RH rear ¼ view.



VIN.



Fender Tag.



Primary Body Codes.



Secondary Body Codes.



1968 DODGE Super Bee 2 Door Coupe

abcdefghijklmnopqrstuvwxyz																									
+		1																						+	
ABCDEFGHIJKLMNOPQRSTUVWXYZ																									
1		6		1		7																			
12345678		AX		TRM		PNT		UBS																	
5		7		8		68		H4X		RR1		B		7											
WM21		73		3		45		522		068021															

WM21J8A303158 = VIN

BODY CODES = A8W 06802I

The Fender Tag is read from Left to Right, and from Bottom to Top

WM Car Line: DODGE Super Bee
21 Body Type: 2 Door Coupe
73 Engine: 426 2-4bbl 425hp V8 HEMI HEAD
3 Transmission: A833 4-Speed Manual HURST
45 Tires: F 70 x 15" Red Streak GOOD-YEAR SPEEDWAY
522 Scheduled Production Date: Wednesday May 22, 1968
068021 Shipping Order Number

2 5 Mouldings: Drip Rail
4 7 Mouldings: B-Pillar
7 8 Mouldings: Wheel Lip
A 6 Ratio: 3.54:1 w/9.75" AXLE
X 8 Sure Grip: Yes
T H Trim Grade: High
R 4 Front Seat: Vinyl Split Bench
M X Interior: Black
P R Roof Paint: Burgundy Metallic
N R Body Paint: Burgundy Metallic
T 1 Paint Style: Mono-Tone
U B Upper Door Frame Color: Black
B Buffed Paint: none
S 7 Stripe/Color: Transverse Sport TAPE /White

A 1 Radiator - 26" Width
P 6 Rear Speaker
R 1 Radio: Music Master AM
T 7 Tachometer

u 1 Order Type: Sold Car

Decoded for:

Decoded by:

Galen V. Govier
P. O. Box 516
Prairie du Chien, WI 53821-0516

Note: Unless there is a factory document that ties the VIN to the fender tag, I cannot guarantee the fender tag is from the same vehicle the VIN as attached.

Note: A decoding of a fender tag or broadcast sheet by GTS/Galen Govier does not automatically mean that it is an all numbers matching vehicle. For that reason, unless this decoding is in addition to an Appraisal, Visual Inspection or Validation I will not guarantee it has all of the factory installed equipment on the vehicle.

1968 DODGE Super Bee 2 Door Coupe

abcdefghijklmnopqrstuvwxyz																												
+													1	+														
ABCDEFGHIJKLMNOPQRSTUVWXYZ																												
1													6	1	7													
12345678													AX			TRM			PNT			UBS						
5				7				8				68				H4X				RR1				B				
WM21				73				3				45				522				068021								

WM21J8A303158 = VIN

BODY CODES = A8W 06802I

The Fender Tag is read from Left to Right, and from Bottom to Top

WM21J8A303158 = VIN

WM Car Line: DODGE Super Bee
21 Body Type: 2 Door Coupe
J Engine: 426 2-4bbl 425hp V8 HEMI HEAD
8 Model Year: 1968 D-SERIES
A Assembly Plant: Lynch Road, MI
303158 Assembly Plant Sequential Number

BODY CODES = A8W 06802I

A Assembly Plant: Lynch Road, MI
8 Model Year: 1968 D-SERIES
W Model: Coronet
068021 Shipping Order Number

Decoded for:

Decoded by:

Galen V. Govier
P. O. Box 516
Prairie du Chien, WI 53821-0516

Note: A decoding of a fender tag or broadcast sheet by GTS/Galen Govier does not automatically mean that it is an all numbers matching vehicle. For that reason, unless this decoding is in addition to an Appraisal, Visual Inspection or Validation I will not guarantee it has all of the factory installed equipment on the vehicle.

D Series 1968 Basic Car Prices & Standard Equipment

WM21 DODGE CORONET SUPER BEE-8-2 DR CPE Late 1968 \$ 3,027.00
 FOLLOWING ITEMS OF STD EQUIPT ON
 THIS MODEL ARE EXTRA COST ON SOME
 OTHER MODELS OF THIS CARLINE 383
 CID 4-BBL ENG, 4 SPEED MANUAL
 TRANS. RED STREAK TIRES, H.D. REAR
 SPRINGS + SHOCKS, H.D. BRAKES, TORSION
 BARS, SWAY BAR, ELECTRIC CLOCK.
LATE 1968 includes: Front Shoulder Belts & Center Lap Belts (Exc Console).
 SHIPPING WEIGHT: 3450#
 WHEELBASE: 117.0"
 FUEL TANK CAPACITY: 19 Gallons.

D Series 1968 Accessories, Drivetrain & Options

31- TRANSVERSE SPORT STRIPE 1968 WM21J
Positioned across rear of vehicle.

317 White Bumblebee Stripe TAPE
Not available with any other Stripe or Moulding.

TRACK PAK: 1968 WM21J

393 4-Speed Manual Transmission,
406 3.54:1 Ratio w/HD 9.75" Axle,
408 Sure Grip Differential,
 26" High Capacity Radiator, 426 HEMI 2898048
 Fan Shroud, 2785434
491 -7 Blade Engine Fan, 2863215
 -Torque Drive Unit, 2806070
Required with 426 and 440 Engine & 4-Speed Transmission.
Optional on Super Bee.

361 SUPER BEE PKG-BUILD CODE ONLY: 1968 WM21J

362 Rallye Instrument Cluster WITH CLOCK,
62 383 1-4bbl 335hp V8 Engine DUAL EXHAUST,
393 4 Speed Manual Transmission,
624 Rallye Suspension,
548 Wheel Lip Mouldings,
 R/T Grille with "D-O-D-G-E" letters.
 Performance Hood,
31- Bumblebee Stripe MAY BE DELETED,
 Black decal around taillights,
44 F70 x 14" Red Streak Tires WHITE SIDEWALL AVAILABLE.
Standard equipment on Super Bee.

362 CHARGER RALLYE INSTRUMENT CLUSTER 1968 WM21J

484 Clock,
 150 MPH Speedometer,
 Oil Pressure Gauge,
 Temp Gauge,
 Ammeter.
577 Tachometer & Clock TIC-TACH, OPTIONAL
 Bulls eye insert between Clock and Speedometer.
Standard Super Bee-less Tach and will not be coded.


CONTINUED

393	4-SPEED MANUAL TRANSMISSION	1968 WM21J	
	A833 New Process-18 Spline		
	Distributor Control Valve w/Green Cap,		
406	3.54:1 9.75" Axle-Std with 426 HEMI V8,		
	18 Spline w/11" Clutch Diameter w/426 & 440,		
	2.66 Lo Gear Ratio/A-833 (ALL)		
	426/440 <i>EARLY-UP TO 311</i>		046
	426/440 <i>LATE-AFTER 418</i>		099
	Includes Inland Shifter up to: 3-15-68		
	and Hurst Shifter after: 3-15-68		
	I/P Reverse Light after: 3-15-68		
	<i>Optional on Super Bee.</i>		
73	426 HEMI ENGINE: STAGE II	1968 WM21J	
	Engine designation: A102.		
	426 Cubic Inch Displacement,		
	A 12-month/12,000-mile warranty applies and is limited to		
	the original purchaser.		
590	37 amp Alternator <i>DUAL PULLEY,</i>		
626	70 amp HD Battery <i>SERIES 27/RED CAP,</i>		
589	3 Speed Wipers w/Electric Washers,		
	Dual Exhaust System with Resonators,		
	Chrome Exhaust Tips,		
	Engine K-Frame w/SKID Plate,		
	Firing Order: 1-8-4-3-6-5-7-2		
	3/8" Fuel Line with 1/4" Return Line,		
	Stage II = Solid Lifters & 6qt Oil Pan,		
	Engine Color: HEMI Orange,		
	Horsepower: 425hp@5000RPM		
	Compression ratio: 10.25:1,		
	Spark Plugs: N10Y		
	Front Carburetor #: 4430S		
	Rear Carburetor #: 4431S - 4SPD		
	Distributor #: 2785140/IBS-4014A		
	Engine ID: MV426 <i>LATE</i>		
	Engine ID Location: Drivers rear bottom side of block.		
	Idle Label:		
	Location of Idle Label: Passenger inner fender between		
	Washer Reservoir and Radiator Support.		
	<i>Optional on Super Bee.</i>		


CONTINUED

478	HD DRUM BRAKES	1968 WM21J	
	11x3.0"-Drum Brakes-Front,		
	11x2.5"-Drum Brakes-Rear,		
	Effective lining area: 234.1 sq. in.		
451	Power Brakes. <i>OPTIONAL</i>		
	<i>Standard on Super Bee.</i>		
492	MAXIMUM COOLING PACKAGE	1968 WM21J	
26	-Radiator - 26" Width,	426 B-BODY	2898048
	-Fan Shroud,	B-BODY	2785434
	-7 Blade Engine Fan,		2863215
	-Torque Drive Fan Clutch Unit		2806070
	<i>Standard with 426 HEMI Engine and will not be coded.</i>		
648	HEMI SUSPENSION PACKAGE	1968 WM21J	
	Front Anti-Sway Bar,		
	-.94" Diameter,		2462885
	Firm Ride Shock Absorbers,		
	-FT		2206832
	-RR <i>LATE</i>		2843895
	HEMI Torsion Bars,		
	-RH <i>PAINT MARKINGS: BROWN (1)</i>		1857780
	-LH <i>PAINT MARKINGS: BROWN (2)</i>		1857781
	-.92" Diameter,		
	-41" Length,		
	HEMI Leaf Springs,		
	-6 Leaf-LH <i>LATE</i>		2539794
	-5½ Leaf-RH <i>LATE</i>		2539964
	4 Clips per leaf.		
	<i>Standard with 426 & 440 Engines.</i>		
	<i>Includes Torque boxes & plates on:</i>		
	<i>-1968 Super Bee w/426 HEMI Engine.</i>		
691	SOLD CAR	1968 WM21J	
	This is a vehicle that is ordered to a customers liking,		
	then the order is sent back to Chrysler for assembly.		
	NOTE: This is not the same as a Special Order.		
STD	"ROAD" WHEELS	1968 WM21J	
	15 x 6.0" Stamped Steel		
	-Painted Body Color w/Hubcaps		426 HEMI
	-Painted Black w/Wheel Covers		<i>OPTIONAL</i>
STD	SPARE TIRE/WHEEL	1968 WM21J	
	Spare Tire will be identical to 4 on Road.		
	Spare Wheel will be identical to 4 on Road.		
	Spare Wheel will be painted Body Color w/Hubcaps		<i>STANDARD</i>
	Spare Wheel will be painted Black w/Full Wheel Covers		<i>OPTIONAL</i>


Late 1968 DODGE Coronet



☒ Standard hubcap.
Standard on Hemi.
No sales code.
PN: 27680**07**.




☐ Optional 14" wheel cover.
N/A Hemi.
S/C: 581.
PN: 28817**64**




☐ Optional 14" wheel cover.
N/A Hemi.
S/C: 584.
PN: 28817**79**




☐ Optional 14" wheel cover.
N/A Hemi.
S/C: 587.
PN: 28817**69**



☐ Optional 14" wheel.
N/A Hemi.
S/C: 580.
PN: **98**




☐ Optional 15" wheel cover.
Optional on Hemi.
S/C: 581.
PN: 28817**53**




☐ Std. WL Wheel.
No sales code.
Horn Button.



☒ Std. Wheel, exc WL.
S/C: 575.
Partial Horn Ring
After: November 1, 1967



☐ Optional Steering Wheels
S/C: 571.
Full Horn Ring



☒ S/C: 573.
Woodgrain.